

Torcetrapib's Failure May Not Doom Rest of Class

BY MICHELE G. SULLIVAN
Mid-Atlantic Bureau

The demise of torcetrapib may be a "bitter disappointment" to researchers, but it's too soon to give up on the entire class of HDL cholesterol-raising agents, several of which are still under development, experts say.

"While this is a huge setback for the field of lipid therapy, it would be a big mistake for patients and physicians to get the im-

pression that this research is a lost cause," said Dr. Frederick Samaha of the University of Pennsylvania, Philadelphia. "There are several different drugs being looked at. We can't presume from the failure of one that all of them will have similar problems."

Torcetrapib, a cholesteryl ester transfer protein (CETP) inhibitor, was furthest along that pipeline, however, and was the only one in a phase III trial (ILLUMINATE). The study randomized 15,000 patients with existing coronary heart disease

to atorvastatin alone or to a combination of atorvastatin and torcetrapib.

However, Pfizer Inc. abruptly halted it after an interim data analysis showed significantly more deaths in the combination arm than in the monotherapy arm (82 vs. 51). Although details haven't been released, the imbalance in mortality appears to have been driven by cardiovascular events, Dr. Samaha said in an interview.

"It's very disappointing. Of all the HDL-raising drugs, this class holds the

most promise. [CETP inhibitors] increase HDL by 50%-100%, much more than even the second most effective drug, niacin. So we had a lot of really high hopes for torcetrapib."

The question facing researchers, he said, is whether the mortality risk associated with torcetrapib will extend to any of the other CETP inhibitors under development by Hoffmann-La Roche Inc., Merck & Co., AstraZeneca Pharmaceuticals LP, and Bayer Pharmaceuticals Corp. "We can't tell right now whether this is a class effect, or whether it's specific to this one drug alone," said Dr. Samaha, who is investigating the effect of niacin plus statins on cardiovascular events in the AIM-HIGH trial.

There are two possible culprits behind the increased mortality among torcetrapib patients, he said: the drug's hypertensive effects, which caused significant blood pressure hikes in a small number of patients in the phase II studies, and accelerated atherogenesis.

Blood pressure effects are likely to be drug specific, as other CETP inhibitors in development haven't thus far shown similar problems. But a finding that torcetrapib—a drug designed to prevent or decrease atherosclerotic plaque—actually increases it could have devastating implications for all CETP research. "That would most likely be a class effect that we would see with any of these drugs," said James McKenney, Pharm.D., a primary investigator for torcetrapib's 2006 safety and efficacy studies.

CETP inhibitors increase HDL cholesterol by limiting the amount of cholesterol that leaves the HDL particle, Dr. Samaha said. "What you end up with is larger HDL particles with more cholesterol associated with them. Whether those particles are still as cardioprotective [as normally occurring HDL] is something we don't know."

Boosting HDL levels this way has always been a controversial idea, according to Dr. Michael Davidson, director of preventive cardiology at Rush University Medical Center, Chicago. But "a lot of us were still optimistic, because the 50% increase in HDL that we saw in the earlier studies was so significant that it should have resulted in a significant mortality risk reduction."

That reduction should also have been large enough to offset the potential problem of hypertension, said Dr. Davidson.

Although Pfizer has yet to release the causes of the deaths in its phase III study, Dr. Davidson thinks the drug's hypertensive effects may play into the picture. "Perhaps we didn't see a clear signal about this in the earlier trials because they included relatively healthy subjects, while the phase III trial involved sicker patients who had pre-existing cardiovascular disease."

But because the other CETP inhibitors under development haven't shown any effect on blood pressure thus far, torcetrapib may be an outlier among them. "I believe this class of drugs still has a lot of potential." However, he cautioned, until the deaths in both arms of the ILLUMINATE trial have been adjudicated, it will be impossible to understand the drug's full risk picture. ■

The advertisement features a collage of five photographs: a young man smiling, an older male doctor with a stethoscope, a woman in a white lab coat holding a clipboard, a close-up of a woman's face with a headset, and a piece of medical laser equipment. Below the photos, the word "Us" is written in large blue letters, and "Them" is written in smaller blue letters next to a small orange cube icon.

Us **Them**

Don't be left all alone.

You won't be when supported by Laserscope Aesthetics. For more than 20 years, Laserscope's medical research, clinical training and technical support staff have been helping medical professionals just like you offer exceptional light based aesthetic treatments. Pair yourself with a team that will stick with you, whether it's your first day or first decade in the business.

To find out more about Laserscope and its line of KTP, Nd:YAG, Erbium and Intense Pulsed Light Systems, log on at www.laserscope.com or call **800.356.7600**

LASERSCOPE®
Aesthetics

© 2007 Laserscope. Gemini and the Laserscope logo are trademarks of Laserscope. All rights reserved.