

CONTENT OF FAMILY PRACTICE

PART I

RANK ORDER OF DIAGNOSES BY FREQUENCY

PART II

DIAGNOSES BY DISEASE CATEGORY AND AGE/SEX DISTRIBUTION

David W. Marsland, MD  
Maurice Wood, MB  
Fitzhugh Mayo, MD

Department of Family Practice  
Medical College of Virginia  
Richmond, Virginia

## DIAGNOSES RANKED BY FREQUENCY

Diagnoses			Frequency			Cumulative	
Rank	RCGP Number	Description	Male	Female	Total	Total	Percent
1	511	Other medical exam for preventive and presymptomatic purposes	20,206 +	23,745 =	43,951	43,951	8.353
2	218	Benign or unspecified hypertension w/wo heart and/or renal disease	9,965 +	20,270 =	30,235	74,186	14.099
3	483	Lacerations, amputations, contusions, and abrasions	12,675 +	8,462 =	21,137	95,323	18.115
4	242	Pharyngitis (including febrile sore throat and tonsillitis)	8,387 +	11,789 =	20,176	115,499	21.950
5	247	Bronchitis, acute	5,724 +	7,787 =	13,511	129,010	24.517
6	480	Sprains and strains	6,664 +	6,166 =	12,830	141,840	26.956
7	91	Diabetes mellitus	3,812 +	8,623 =	12,435	154,275	29.319
8	240	Coryza (non-febrile common cold)	4,389 +	6,562 =	10,951	165,226	31.400
9	101	Obesity	1,928 +	8,751 =	10,679	175,905	33.430
10	241	Febrile cold and influenza-like illness	4,466 +	4,900 =	9,366	185,271	35.209
11	183	Otitis media, acute	4,513 +	4,632 =	9,145	194,416	36.947
12	134	Depressive neurosis	1,486 +	6,347 =	7,833	202,249	38.436
13	500	Cervical smear	0 +	7,706 =	7,706	209,955	39.900
14	352	Normal pregnancy prenatal care	0 +	7,189 =	7,189	217,144	41.267
15	130	Anxiety neurosis	1,691 +	4,954 =	6,645	223,789	42.529
16	221	Arteriosclerosis (including cardiovascular disease)	2,800 +	3,813 =	6,613	230,402	43.786
17	335	Vulvitis, vaginitis, and cervicitis (non-venereal)	0 +	6,324 =	6,324	236,726	44.988
18	306	Abdominal pain other than colic	1,735 +	3,903 =	5,638	242,364	46.060
19	215	Congestive heart failure	1,966 +	3,086 =	5,052	247,416	47.020
20	313	Urinary infection (cystitis)	494 +	4,358 =	4,852	252,268	47.942
21	243	Sinusitis (acute)	1,717 +	2,997 =	4,714	256,982	48.838
22	272	Other sign, symptom, or incomplete diagnosis (Category 8)	1,766 +	2,587 =	4,353	261,335	49.665
23	409	Other forms of arthritis and rheumatism	1,334 +	2,899 =	4,233	265,568	50.469
24	464	Other sign, symptom, or incomplete diagnosis (Category 16)	1,383 +	2,729 =	4,112	269,680	51.251
25	246	Pneumonia pneumonitis	1,982 +	2,068 =	4,050	273,730	52.020
26	135	Physical disorders of presumably psychogenic origin	996 +	2,927 =	3,923	277,653	52.766
27	454	Headache	1,010 +	2,475 =	3,485	281,138	53.428
28	380	Dermatitis, contact	1,563 +	1,916 =	3,479	284,617	54.089
29	111	Iron deficiency (hypochromic) anemia (male and female)	1,156 +	2,293 =	3,449	288,066	54.745
30	86	Asthma (Category 3)	1,367 +	2,021 =	3,388	291,454	55.389
31	316	Other infections of urinary system including prostatitis	1,972 +	1,410 =	3,382	294,836	56.031
32	256	Other disease process not included above (Category 8)	1,539 +	1,655 =	3,194	298,030	56.638
33	257	Rhinitis, vasomotor or allergic	1,308 +	1,794 =	3,102	301,132	57.228
34	505	Other prophylactic procedures	1,260 +	1,837 =	3,097	304,229	57.816
35	406	Osteoarthritis	791 +	2,192 =	2,983	307,212	58.383
36	372	Other cellulitis without mention of lymphangitis	1,391 +	1,525 =	2,916	310,128	58.937
37	273	Acute gastritis or duodenitis	1,279 +	1,585 =	2,864	312,992	59.482
38	425	Back pain alone	1,168 +	1,669 =	2,837	315,829	60.021
39	155	Vascular lesions	1,134 +	1,620 =	2,754	318,583	60.544
40	585	Oral contraceptive advice	0 +	2,721 =	2,721	321,304	61.061
41	317	Other diseases of the urinary tract	763 +	1,935 =	2,698	324,002	61.574
42	377	Other local infections of skin and subcutaneous tissue	1,297 +	1,252 =	2,549	326,551	62.059
43	95	Specific allergies	992 +	1,540 =	2,532	329,083	62.540
44	381	Other dermatitis	1,016 +	1,488 =	2,504	331,587	63.016
45	398	Rash	1,033 +	1,290 =	2,323	333,910	63.457
46	182	Otitis externa	1,026 +	1,278 =	2,304	336,214	63.895
47	568	Other disease inoculations	992 +	1,268 =	2,260	338,474	64.324
48	245	Influenza epidemic	925 +	1,312 =	2,237	340,711	64.749
49	28	Other recognized disease not included above (Category 1)	693 +	1,542 =	2,235	342,946	65.174
50	217	Other heart disease	1,184 +	997 =	2,181	345,127	65.589
51	285	Other diseases of intestines and peritoneum	801 +	1,361 =	2,162	347,289	66.000
52	415	Other disease process not mentioned above (Category 13)	913 +	1,172 =	2,085	349,374	66.396
53	170	Conjunctivitis and ophthalmia	938 +	1,089 =	2,027	351,401	66.781
54	405	Rheumatoid arthritis	645 +	1,382 =	2,027	353,428	67.166
55	25	Viral warts (infectious)	942 +	1,071 =	2,013	355,441	67.549

Diagnoses			Frequency			Cumulative	
Rank	RCGP Number	Description	Male	Female	Total	Total	Percent
56	427	Other sign, symptom, or incomplete diagnosis (Category 13)	830 +	1,149 =	1,979	357,420	67.925
57	420	Bursitis	819 +	1,057 =	1,876	359,296	68.281
58	200	Vertigo	629 +	1,216 =	1,845	361,141	68.632
59	212	Other ischemic heart disease	885 +	949 =	1,834	362,975	68.981
60	190	Other diseases of ear and mastoid process	763 +	1,041 =	1,804	364,779	69.323
61	211	Acute myocardial infarction	1,179 +	613 =	1,792	366,571	69.664
62	5	Diarrhea and/or vomiting intestinal infectious disease	778 +	982 =	1,760	368,331	69.998
63	304	Diarrhea and/or vomiting (afebrile)	674 +	1,039 =	1,713	370,044	70.324
64	214	Heart block and other disorders of rhythm	715 +	996 =	1,711	371,755	70.649
65	543	Group diphtheria, whooping cough, and tetanus prophylaxis	886 +	783 =	1,669	373,424	70.966
66	280	Functional gastric disorders	637 +	1,010 =	1,647	375,071	71.279
67	331	Other diseases of female genitalia	0 +	1,576 =	1,576	376,647	71.579
68	226	Phlebitis and thrombophlebitis	490 +	1,015 =	1,505	378,152	71.865
69	147	Tension headache	294 +	1,173 =	1,467	379,619	72.144
70	231	Precordial pain	772 +	683 =	1,455	381,074	72.420
71	394	Insect bites	718 +	733 =	1,451	382,525	72.696
72	303	Diarrhea and/or vomiting (febrile)	638 +	810 =	1,448	383,973	72.971
73	244	Laryngitis and tracheitis	584 +	835 =	1,419	385,392	73.241
74	225	Hemorrhoids	692 +	725 =	1,417	386,809	73.510
75	428	Pain in joint (arthralgia)	550 +	857 =	1,407	388,216	73.777
76	408	Fibrositis and muscular rheumatism	548 +	820 =	1,368	389,584	74.037
77	465	Foreign body entering not through orifice	754 +	614 =	1,368	390,952	74.297
78	230	Angina of effort	724 +	616 =	1,340	392,292	74.552
79	112	Other specific anemias (male and female)	394 +	942 =	1,336	393,628	74.806
80	141	Abuse of alcohol	944 +	389 =	1,333	394,961	75.059
81	387	Disease of nail and nail bed	632 +	700 =	1,332	396,293	75.312
82	74	All other benign neoplasms (Category 2)	514 +	816 =	1,330	397,623	75.565
83	267	Cough	533 +	764 =	1,297	398,920	75.811
84	495	Other fractures not included above	658 +	639 =	1,297	400,217	76.058
85	486	Burns, second degree	735 +	557 =	1,292	401,509	76.303
86	375	Impetigo	667 +	608 =	1,275	402,784	76.546
87	4	Gonorrhea	740 +	509 =	1,249	404,033	76.783
88	389	Disease of sweat and sebaceous glands	672 +	575 =	1,247	405,280	77.020
89	158	Epilepsy (Category 6)	583 +	639 =	1,222	406,502	77.252
90	399	Other sign, symptom, or incomplete diagnosis (Category 12)	517 +	704 =	1,221	407,723	77.484
91	704	Family relationship problems	290 +	913 =	1,203	408,926	77.713
92	237	Other sign, symptom, or incomplete diagnosis (Category 7)	542 +	636 =	1,178	410,104	77.937
93	187	Wax in ear	634 +	527 =	1,161	411,265	78.157
94	326	Amenorrhea	0 +	1,137 =	1,137	412,402	78.373
95	255	Emphysema without bronchitis	956 +	177 =	1,133	413,535	78.589
96	476	Fracture, carpal, metacarpal, tarsal, or metatarsal bones	668 +	451 =	1,119	414,654	78.801
97	379	Dermatitis, atopic (eczema)	388 +	729 =	1,117	415,771	79.014
98	284	Other hernias of abdominal cavity	426 +	689 =	1,115	416,886	79.226
99	290	Constipation	394 +	721 =	1,115	418,001	79.437
100	344	Other sign, symptom, or incomplete diagnosis (Category 10)	296 +	818 =	1,114	419,115	79.649
101	493	Other known injury not included above	554 +	551 =	1,105	420,220	79.859
102	275	Diseases of teeth and supporting structures	423 +	655 =	1,078	421,298	80.064
103	369	Acne	459 +	607 =	1,066	422,364	80.267
104	93	Gout (Category 3)	728 +	334 =	1,062	423,426	80.468
105	329	Menopausal symptoms	0 +	1,026 =	1,026	424,452	80.663
106	223	Peripheral arterial disease	538 +	484 =	1,022	425,474	80.858
107	494	Other sign, symptom, or incomplete diagnosis (Category 17)	569 +	450 =	1,019	426,493	81.051
108	271	Pleuritic pain	356 +	647 =	1,003	427,496	81.242
109	400	Cervical injury, eg, whiplash (excluding fracture or disc)	380 +	623 =	1,003	428,499	81.432
110	31	Pyrexia of unknown origin	510 +	480 =	990	429,489	81.621
111	23	Epidemic winter vomiting (viral gastroenteritis)	441 +	545 =	986	430,475	81.808
112	234	Edema	241 +	727 =	968	431,443	81.992

Diagnoses			Frequency			Cumulative	
Rank	RCGP Number	Description	Male	Female	Total	Total	Percent
113	233	Syncope	324 +	641 =	965	432,408	82.175
114	248	Bronchitis, chronic	467 +	491 =	958	433,366	82.357
115	293	Nausea	296 +	659 =	955	434,321	82.539
116	184	Otitis media, chronic	432 +	521 =	953	435,274	82.720
117	276	Other diseases of buccal cavity	425 +	506 =	931	436,205	82.897
118	421	Tenosynovitis	401 +	526 =	927	437,132	83.073
119	477	Fracture of phalanges	574 +	349 =	923	438,055	83.248
120	27	Other virus infection	380 +	537 =	917	438,972	83.423
121	181	Other diseases of the eye	444 +	467 =	911	439,883	83.596
122	125	Schizophrenia	341 +	563 =	904	440,787	83.768
123	227	Other disease of circulatory system	429 +	473 =	902	441,689	83.939
124	2	Tuberculosis (other forms)	517 +	384 =	901	442,590	84.110
125	544	Poliomyelitis prophylaxis	457 +	433 =	890	443,480	84.279
126	169	Other diseases of peripheral nerves or ganglia	358 +	510 =	868	444,348	84.444
127	322	Breast diseases, other than neoplasm	78 +	766 =	844	445,192	84.605
128	88	Hyperthyroidism	98 +	741 =	839	446,031	84.764
129	87	Allergic dermatosis, urticaria	326 +	511 =	837	446,868	84.923
130	308	Other sign, symptom, or incomplete diagnosis (Category 9)	357 +	472 =	829	447,697	85.081
131	21	Dermatophytosis	491 +	325 =	816	448,513	85.236
132	328	Menorrhagia and metrorrhagia	0 +	814 =	814	449,327	85.391
133	311	Pyelitis and pyelonephritis	189 +	618 =	807	450,134	85.544
134	224	Varicose veins of lower extremities	240 +	562 =	802	450,936	85.606
135	278	Duodenal ulcer	476 +	315 =	791	451,727	85.847
136	374	Cellulitis and abscess with lymphangitis	414 +	360 =	774	452,501	85.994
137	210	Rheumatic heart disease	291 +	471 =	762	453,263	86.138
138	70	Breast (Category 2 - benign)	69 +	690 =	759	454,022	86.283
139	813	Hypertension (Category 21)	284 +	470 =	754	454,776	86.426
140	370	Boil and carbuncle	405 +	338 =	743	455,519	86.567
141	89	Hypothyroidism	109 +	621 =	730	456,249	86.706
142	457	Weight loss	303 +	422 =	725	456,974	86.844
143	302	Melena	368 +	353 =	721	457,695	86.981
144	327	Irregular menstruation	0 +	717 =	717	458,412	87.117
145	159	Migraine	130 +	576 =	706	459,118	87.251
146	73	Skin (Category 2 - benign)	272 +	420 =	692	459,810	87.383
147	904	Other psychotropic drugs (Category 22)	148 +	538 =	686	460,496	87.513
148	283	Hernia, inguinal or femoral	524 +	161 =	685	461,181	87.643
149	289	Cirrhosis of liver	431 +	248 =	679	461,860	87.772
150	288	Other diseases of liver, gallbladder, and pancreas	278 +	379 =	657	462,517	87.897
151	315	Urethritis, non-venereal	571 +	86 =	657	463,174	88.022
152	94	Other recognized disease not included above (Category 3)	235 +	418 =	653	463,827	88.146
153	110	Pernicious (megaloblastic) anemia	238 +	411 =	649	464,476	88.269
154	321	Other diseases of male genitalia	647 +	0 =	647	465,123	88.392
155	157	Parkinsonism	376 +	261 =	637	465,760	88.513
156	385	Other hypertrophic and atrophic skin conditions	245 +	390 =	635	466,395	88.634
157	250	Sinusitis (chronic)	181 +	445 =	626	467,021	88.753
158	485	Burns, first degree	328 +	288 =	616	467,637	88.870
159	469	Fracture of tibia and/or fibula (Potts)	339 +	274 =	613	468,250	88.986
160	343	Hematuria (Category 10)	362 +	242 =	604	468,854	89.101
161	281	Other diseases of esophagus, stomach, and duodenum	276 +	323 =	599	469,453	89.215
162	251	Pleurisy	231 +	356 =	587	470,040	89.327
163	128	Organic psychoses	223 +	348 =	571	470,611	89.435
164	446	Debility or fatigue	193 +	370 =	563	471,174	89.542
165	323	Salpingitis and oophoritis	0 +	561 =	561	471,735	89.649
166	279	Pyloric, juxtapyloric, prepyloric ulcer	332 +	228 =	560	472,295	89.755
167	14	Herpes zoster	207 +	345 =	552	472,847	89.860
168	17	Infectious mononucleosis	245 +	306 =	551	473,398	89.965
169	504	Health education counseling	235 +	316 =	551	473,949	90.069

Diagnoses			Frequency			Cumulative	
Rank	RCGP Number	Description	Male	Female	Total	Total	Percent
170	541	Tuberculosis prophylaxis	224 +	326 =	550	474,499	90.174
171	150	Other special sign or symptom not coded elsewhere (Category 5)	253 +	296 =	549	475,048	90.278
172	160	Other diseases of CNS	243 +	304 =	547	475,595	90.382
173	390	Chronic ulcer of skin	278 +	268 =	546	476,141	90.486
174	484	Foreign body entering through orifice	355 +	185 =	540	476,681	90.589
175	424	Backache with other neuritis	192 +	340 =	532	477,213	90.690
176	277	Gastric ulcer	267 +	258 =	525	477,738	90.789
177	263	Epistaxis	246 +	267 =	513	478,251	90.887
178	383	Pruritus	167 +	341 =	508	478,759	90.983
179	471	Fracture of ribs	285 +	220 =	505	479,264	91.079
180	586	Other contraceptive advice	6 +	494 =	500	479,764	91.174
181	805	Carcinoma (Category 21)	251 +	249 =	500	480,264	91.269
182	378	Dermatitis, seborrheic	199 +	293 =	492	480,756	91.363
183	496	Adverse effect of other drugs	151 +	341 =	492	481,248	91.456
184	466	Sweating	227 +	253 =	480	481,728	91.548
185	407	Lumbago (backache) not attributed to disc lesion	198 +	273 =	471	482,199	91.637
186	475	Colles' fracture	232 +	233 =	465	482,664	91.726
187	371	Cellulitis of finger and toe	203 +	245 =	448	483,112	91.811
188	213	Myocardial degeneration from other causes	214 +	233 =	447	483,559	91.896
189	67	Leukemia, all types	181 +	258 =	439	483,998	91.979
190	625	Other abnormal biochemistry	213 +	224 =	437	484,435	92.062
191	401	Torticollis	174 +	259 =	433	484,868	92.144
192	68	All other malignant neoplasms	197 +	235 =	432	485,300	92.226
193	85	Hay fever (Category 3)	193 +	231 =	424	485,724	92.307
194	325	Dysmenorrhea	0 +	424 =	424	486,148	92.388
195	312	Calculi of kidneys and ureters	302 +	119 =	421	486,569	92.468
196	391	Dermatitis herpetiformis, pemphigus, lichen, etc	178 +	235 =	413	486,982	92.546
197	161	Labyrinthitis	131 +	278 =	409	487,391	92.624
198	13	Chicken pox	215 +	190 =	405	487,796	92.701
199	20	Oxyuriasis	164 +	235 =	399	488,195	92.777
200	309	Anal fissure and fistula	179 +	216 =	395	488,590	92.852
201	16	Infectious hepatitis	239 +	154 =	393	488,983	92.926
202	337	Dysuria and/or strangury	109 +	281 =	390	489,373	93.000
203	219	Malignant hypertension	118 +	269 =	387	489,760	93.074
204	57	Bronchus, lung and trachea (Category 2 - malignant)	192 +	186 =	378	490,138	93.146
205	114	Other recognized disease not included above (Category 4)	170 +	208 =	378	490,516	93.218
206	334	Other disorders of menstruation	0 +	375 =	375	490,891	93.289
207	207	Other sign, symptom, or incomplete diagnosis (Category 6)	168 +	202 =	370	491,261	93.359
208	310	Nephritis and nephrosis	140 +	226 =	366	491,627	93.429
209	301	Colic	137 +	217 =	354	491,981	93.496
210	411	Other internal derangements of the knee	191 +	163 =	354	492,335	93.563
211	249	Tonsillar and adenoidal hypertrophy	151 +	202 =	353	492,688	93.630
212	318	Prostatic hypertrophy (benign)	353 +	0 =	353	493,041	93.697
213	473	Fracture of clavicle	244 +	106 =	350	493,391	93.764
214	287	Cholecystitis and/or cholangitis without calculus	56 +	289 =	345	493,736	93.829
215	274	Esophagitis	129 +	213 =	342	494,078	93.894
216	177	Keratitis, with or without corneal ulcer	221 +	119 =	340	494,418	93.959
217	905	Thiazide diuretics (Category 22)	142 +	198 =	340	494,758	94.024
218	388	Disease of hair and hair follicle	137 +	199 =	336	495,094	94.087
219	294	Heartburn	144 +	183 =	327	495,421	94.150
220	58	Breast (Category 2 - malignant)	3 +	316 =	319	495,740	94.210
221	229	Pulmonary embolism	137 +	180 =	317	496,057	94.270
222	644	Other abnormal procedure (Category 19)	80 +	237 =	317	496,374	94.331
223	105	Other sign, symptom, or incomplete diagnosis (Category 21)	116 +	198 =	314	496,688	94.390
224	133	Obsessive-compulsive neurosis	80 +	225 =	305	496,993	94.448
225	179	Cataract	103 +	202 =	305	497,298	94.506
226	801	Anemia (including hemoglobinopathies) (Category 21)	54 +	249 =	303	497,601	94.564

Diagnoses			Frequency			Cumulative	
Rank	RCGP Number	Description	Male	Female	Total	Total	Percent
227	320	Epididymitis and/or orchitis	299 +	0 =	299	497,900	94.621
228	3	Syphilis (infectious and sequelae)	161 +	136 =	297	498,197	94.677
229	468	Fracture of femur	39 +	257 =	296	498,493	94.733
230	146	Insomnia	148 +	146 =	294	498,787	94.789
231	807	Diabetes (Category 21)	124 +	170 =	294	499,081	94.845
232	148	Enuresis	158 +	135 =	293	499,374	94.901
233	15	Mumps	161 +	131 =	292	499,666	94.956
234	456	Dehydration	60 +	231 =	291	499,957	95.012
235	136	Neurasthenia	77 +	206 =	283	500,240	95.065
236	127	Senile and presenile dementia	71 +	205 =	276	500,516	95.118
237	140	Mental retardation	138 +	138 =	276	500,792	95.170
238	336	Colic (renal)	211 +	55 =	266	501,058	95.221
239	152	Impotence	265 +	0 =	265	501,323	95.271
240	286	Cholelithiasis	54 +	204 =	258	501,581	95.320
241	412	Displacement of intervertebral disc	136 +	121 =	257	501,838	95.369
242	382	Psoriasis	89 +	162 =	251	502,089	95.417
243	90	Other thyroid disease (Category 3)	37 +	212 =	249	502,338	95.464
244	129	Other and unspecified psychoses	101 +	148 =	249	502,587	95.511
245	546	Measles prophylaxis	120 +	127 =	247	502,834	95.558
246	444	Lymphadenopathy, enlargement of lymph nodes	94 +	151 =	245	503,079	95.605
247	139	Drug abuse	143 +	101 =	244	503,323	95.651
248	82	Other sign, symptom, or incomplete diagnosis (Category 2)	64 +	177 =	241	503,564	95.697
249	123	Excessive smoking	129 +	112 =	241	503,805	95.743
250	901	Steroids (Category 22)	103 +	137 =	240	504,045	95.788
251	314	Cystitis, chronic	23 +	216 =	239	504,284	95.834
252	295	Dysphagia	101 +	137 =	238	504,522	95.879
253	423	Backache with sciatica	110 +	128 =	238	504,760	95.924
254	474	Fracture of humerus	104 +	133 =	237	504,997	95.969
255	345	Genitourinary infection during pregnancy	0 +	235 =	235	505,232	96.014
256	368	Pityriasis rosea	95 +	139 =	234	505,466	96.058
257	467	Fracture of spine	118 +	104 =	222	505,688	96.100
258	612	Abnormal blood test	132 +	89 =	221	505,909	96.142
259	168	Sciatica	90 +	129 =	219	506,128	96.184
260	180	Glaucoma	74 +	145 =	219	506,347	96.226
261	1	Tuberculosis (respiratory system including late effects)	90 +	128 =	218	506,565	96.267
262	386	Other dermatoses	114 +	104 =	218	506,783	96.309
263	206	Paraesthesiae	89 +	126 =	215	506,998	96.349
264	458	Pyrexia of unknown origin	105 +	110 =	215	507,213	96.390
265	350	Abortion, spontaneous	0 +	214 =	214	507,427	96.431
266	340	Frequency (Category 10)	71 +	140 =	211	507,638	96.471
267	282	Appendicitis	126 +	83 =	209	507,847	96.511
268	481	Intracranial injury	127 +	78 =	205	508,052	96.550
269	437	Congenital malformation of bone and joint	112 +	91 =	203	508,255	96.588
270	235	Dyspnea (Category 7)	76 +	126 =	202	508,457	96.627
271	902	Antidepressives (Category 22)	48 +	153 =	201	508,658	96.665
272	545	Rubella prophylaxis	101 +	94 =	195	508,853	96.702
273	292	Anorexia	64 +	129 =	193	509,046	96.739
274	172	Hordeolum or sty	86 +	103 =	189	509,235	96.774
275	197	Convulsions	122 +	67 =	189	509,424	96.810
276	189	Other forms of deafness	90 +	97 =	187	509,611	96.846
277	460	Albuminuria	93 +	93 =	186	509,797	96.881
278	72	Other female genitourinary organs (Category 2 - benign)	0 +	183 =	183	509,980	96.916
279	265	Dyspnea (Category 8)	84 +	98 =	182	510,162	96.951
280	351	Normal delivery	0 +	180 =	180	510,342	96.985
281	730	Other legal problems	129 +	51 =	180	510,522	97.019
282	487	Burns, third degree	119 +	58 =	177	510,699	97.053
283	384	Corns and callosities	60 +	116 =	176	510,875	97.086

		Diagnoses	Frequency			Cumulative	
Rank	RCGP Number	Description	Male	Female	Total	Total	Percent
284	149	Cardiac arrhythmia	99 +	75 =	174	511,049	97.119
285	908	Other cardiac drugs (Category 22)	77 +	97 =	174	511,223	97.152
286	338	Retention of urine	108 +	63 =	171	511,394	97.185
287	339	Incontinence of urine	44 +	127 =	171	511,565	97.217
288	71	Uterus (Category 2 - benign)	0 +	169 =	169	511,734	97.249
289	631	Abnormal chest X-Ray	76 +	93 =	169	511,903	97.281
290	53	Colon (Category 2 - malignant)	35 +	133 =	168	512,071	97.313
291	96	Addison's disease, serum lipid abnormalities	111 +	57 =	168	512,239	97.345
292	113	Hemorrhagic conditions (male and female)	88 +	78 =	166	512,405	97.377
293	44	Pediculosis	81 +	84 =	165	512,570	97.408
294	174	Other inflammatory diseases of the eye	84 +	81 =	165	512,735	97.439
295	61	Prostate (Category 2 - malignant)	164 +	0 =	164	512,899	97.471
296	635	Abnormal findings at other instrumental test	63 +	97 =	160	513,059	97.501
297	488	Effects of alcohol poisoning	108 +	49 =	157	513,216	97.531
298	559	Tetanus alone prophylaxis	77 +	80 =	157	513,373	97.561
299	299	Jaundice (Category 9)	88 +	68 =	156	513,529	97.590
300	151	Other sign, symptom, or incomplete diagnosis (Category 5)	70 +	84 =	154	513,683	97.620
301	22	Scabies	75 +	76 =	151	513,834	97.648
302	620	Abnormal sugar	67 +	84 =	151	513,985	97.677
303	332	Cervical erosion	0 +	150 =	150	514,135	97.705
304	367	Abortion, induced	0 +	149 =	149	514,284	97.734
305	362	Other complications of pregnancy, delivery, and puerperium	0 +	147 =	147	514,431	97.762
306	32	Other sign, symptom, or incomplete diagnosis (Category 1)	78 +	65 =	143	514,574	97.789
307	131	Hysterical neurosis	27 +	116 =	143	514,717	97.816
308	137	Other and unspecified neurosis	50 +	93 =	143	514,860	97.843
309	417	Scoliosis, kyphoscoliosis	39 +	99 =	138	514,998	97.869
310	30	Pyrexia with rash (any site)	62 +	75 =	137	515,135	97.895
311	64	Skin (Category 2 - malignant)	71 +	64 =	135	515,270	97.921
312	422	Synovitis	68 +	67 =	135	515,405	97.947
313	482	Internal injury of chest, abdomen, and pelvis	69 +	64 =	133	515,538	97.972
314	438	Other congenital malformation not included above (Category 14)	72 +	59 =	131	515,669	97.997
315	602	Abnormal urinalysis	73 +	58 =	131	515,800	98.022
316	138	Personality disorders and sexual deviation	42 +	86 =	128	515,928	98.046
317	171	Blepharitis	65 +	63 =	128	516,056	98.070
318	205	Tinnitus	72 +	56 =	128	516,184	98.095
319	258	Bronchiolitis	60 +	67 =	127	516,311	98.119
320	319	Hydrocele	127 +	0 =	127	516,438	98.143
321	907	Cardiac glycosides (Category 22)	60 +	64 =	124	516,562	98.167
322	463	Senility	32 +	88 =	120	516,682	98.189
323	156	Multiple sclerosis	42 +	74 =	116	516,798	98.211
324	252	Pneumothorax, spontaneous	79 +	36 =	115	516,913	98.233
325	99	Electrolyte disturbance	28 +	86 =	114	517,027	98.255
326	270	Hoarseness	42 +	72 =	114	517,141	98.277
327	298	Hepatomegaly	53 +	60 =	113	517,254	98.298
328	122	Other sign, symptom, or incomplete diagnosis (Category 4)	44 +	68 =	112	517,366	98.319
329	640	Abnormal sigmoidoscopy	44 +	68 =	112	517,478	98.341
330	126	Affective psychoses	57 +	54 =	111	517,589	98.362
331	342	Dyspareunia	0 +	109 =	109	517,698	98.382
332	165	Facial nerve paralysis	34 +	74 =	108	517,806	98.403
333	261	Catarrh	33 +	72 =	105	517,911	98.423
334	66	Hodgkin's disease	75 +	29 =	104	518,015	98.443
335	542	Smallpox prophylaxis	50 +	53 =	103	518,118	98.462
336	373	Infantile eczema	37 +	62 =	99	518,217	98.481
337	453	Failure to thrive	57 +	40 =	97	518,314	98.499
338	587	Intrauterine device	0 +	97 =	97	518,411	98.518
339	906	Specific hypotensives (Category 22)	53 +	44 =	97	518,508	98.536
340	707	Pregnancy and birth out of wedlock (parent and child)	0 +	95 =	95	518,603	98.554

Diagnoses			Frequency			Cumulative	
Rank	RCGP Number	Description	Male	Female	Total	Total	Percent
341	624	Abnormal liver function	56 +	38 =	94	518,697	98.572
342	903	Hypnotics (Category 22)	43 +	51 =	94	518,791	98.590
343	731	Adopted child	42 +	50 =	92	518,883	98.607
344	59	Cervix uteri (Category 2 - malignant)	0 +	91 =	91	518,974	98.625
345	436	Congenital malformation of genitourinary system	76 +	14 =	90	519,064	98.642
346	630	Abnormal EKG	53 +	37 =	90	519,154	98.659
347	397	Pigmentation (Category 12)	29 +	60 =	89	519,243	98.676
348	416	Genu valgum or varum	52 +	37 =	89	519,332	98.693
349	479	Dislocation, shoulder	67 +	22 =	89	519,421	98.710
350	209	Cor pulmonale	51 +	37 =	88	519,509	98.726
351	426	Frozen shoulder	33 +	55 =	88	519,597	98.743
352	472	Fracture of pelvis	46 +	42 =	88	519,685	98.760
353	102	Glycosuria	49 +	38 =	87	519,772	98.776
354	558	Cholera prophylaxis	41 +	45 =	86	519,858	98.793
355	176	Refractive errors	43 +	42 =	85	519,943	98.809
356	413	Flat foot	49 +	36 =	85	520,028	98.825
357	429	Anencephaly, microcephaly, or monstrosity	30 +	55 =	85	520,113	98.841
358	703	Educational problems	49 +	36 =	85	520,198	98.857
359	10	Poliomyelitis (acute and sequelae)	20 +	63 =	83	520,281	98.873
360	450	Sleep disturbance	46 +	37 =	83	520,364	98.889
361	712	Other high-risk individual (Category 20)	41 +	42 =	83	520,447	98.905
362	296	Hematemesis	23 +	56 =	79	520,526	98.920
363	404	Cervical spondylosis	55 +	24 =	79	520,605	98.935
364	198	Tremor	37 +	41 =	78	520,683	98.949
365	6	Scarlet fever	31 +	45 =	76	520,759	98.964
366	307	Wind	37 +	39 =	76	520,835	98.978
367	578	Sterilization, male and female	24 +	52 =	76	520,911	98.993
368	324	Uterovaginal prolapse	0 +	73 =	73	520,984	99.007
369	727	Alcoholism in parent or child	51 +	21 =	72	521,056	99.020
370	220	Raynaud's disease	23 +	48 =	71	521,127	99.034
371	264	Hemoptysis	42 +	29 =	71	521,198	99.047
372	346	Toxemias of pregnancy	0 +	71 =	71	521,269	99.061
373	395	Erythema	20 +	51 =	71	521,340	99.074
374	452	Feeding problems	47 +	23 =	70	521,410	99.087
375	132	Phobic neurosis	14 +	55 =	69	521,479	99.101
376	433	Congenital malformation of circulatory system	26 +	43 =	69	521,548	99.114
377	563	Other chronic adult situational reaction	39 +	30 =	69	521,617	99.127
378	12	Rubella	28 +	39 =	67	521,684	99.140
379	366	Other signs, symptoms, or complications of pregnancy	0 +	66 =	66	521,750	99.152
380	260	Pleural effusion	28 +	37 =	65	521,815	99.164
381	11	Measles	30 +	34 =	64	521,879	99.177
382	166	Trigeminal neuralgia	20 +	44 =	64	521,943	99.189
383	706	Other high-risk family situations (Category 20)	18 +	46 =	64	522,007	99.201
384	462	Uremia (raised BUN)	28 +	35 =	63	522,070	99.213
385	451	Other causes of perinatal morbidity	20 +	42 =	62	522,132	99.225
386	55	Pancreas (Category 2 - malignant)	49 +	10 =	59	522,191	99.236
387	62	Bladder and other urinary organs (Category 2 - malignant)	31 +	28 =	59	522,250	99.247
388	291	Splenomegaly	37 +	22 =	59	522,309	99.258
389	330	Disorders of menarche	0 +	59 =	59	522,368	99.269
390	470	Fracture of skull	35 +	24 =	59	522,427	99.281
391	124	Paranoid states	22 +	36 =	58	522,485	99.292
392	705	Legal problems	13 +	45 =	58	522,543	99.303
393	142	Delusions and hallucinations	32 +	25 =	57	522,600	99.313
394	403	Congenital talipes	16 +	41 =	57	522,657	99.324
395	97	Cushing's syndrome	20 +	36 =	56	522,713	99.335
396	178	Strabismus	39 +	16 =	55	522,768	99.345
397	561	Chronic adult marital situational reaction	12 +	43 =	55	522,823	99.356



Diagnoses			Frequency			Cumulative	
Rank	RCGP Number	Description	Male	Female	Total	Total	Percent
398	601	Abnormal urinoscopy	21 +	34 =	55	522,878	99.366
399	54	Rectum (Category 2 - malignant)	26 +	27 =	53	522,931	99.376
400	29	Aseptic meningitis due to enterovirus	24 +	27 =	51	522,982	99.386
401	92	Hypovitaminosis	9 +	42 =	51	523,033	99.396
402	254	Bronchiectasis	7 +	43 =	50	523,083	99.405
403	143	Hyperkinesia	36 +	13 =	49	523,132	99.415
404	556	Typhoid, paratyphoid prophylaxis	26 +	23 =	49	523,181	99.424
405	566	Acute adolescent situational reaction	8 +	41 =	49	523,230	99.433
406	610	Abnormal hematocrit	21 +	27 =	48	523,278	99.442
407	300	Ascites (Category 9)	22 +	25 =	47	523,325	99.451
408	216	Left ventricular failure (acute)	10 +	36 =	46	523,371	99.460
409	414	Hallux valgus or varus	30 +	16 =	46	523,417	99.469
410	611	Abnormal blood count	22 +	24 =	46	523,463	99.477
411	199	Ataxia	30 +	15 =	45	523,508	99.486
412	410	Torn meniscus of knee	28 +	17 =	45	523,553	99.494
413	236	Ascites (Category 7)	29 +	15 =	44	523,597	99.503
414	173	Iritis	24 +	19 =	43	523,640	99.511
415	808	Drug reaction	14 +	29 =	43	523,683	99.519
416	51	Esophagus (Category 2 - malignant)	22 +	20 =	42	523,725	99.527
417	560	Acute adult marital situational reaction	4 +	38 =	42	523,767	99.535
418	702	Medical care problems	18 +	24 =	42	523,809	99.543
419	185	Mastoiditis	11 +	30 =	41	523,850	99.551
420	186	Meniere's disease	6 +	35 =	41	523,891	99.559
421	803	Bleeding disorder (Category 21)	16 +	25 =	41	523,932	99.566
422	50	Buccal cavity and pharynx, including lip (Category 2 - malignant)	17 +	23 =	40	523,972	99.574
423	461	Hematuria (Category 16)	18 +	22 =	40	524,012	99.582
424	144	Mental disorders, not psychotic, associated with physical condition	20 +	19 =	39	524,051	99.589
425	333	Ovulation pain	0 +	39 =	39	524,090	99.596
426	26	Other helminth infection	19 +	19 =	38	524,128	99.604
427	65	Brain (Category 2 - malignant)	17 +	21 =	38	524,166	99.611
428	439	Other sign, symptom, or incomplete diagnosis (Category 14)	21 +	16 =	37	524,203	99.618
429	604	Abnormal urine test	7 +	30 =	37	524,240	99.625
430	700	Economic problems	13 +	23 =	36	524,276	99.632
431	7	Erysipelas	11 +	24 =	35	524,311	99.638
432	228	Other venous embolism and thrombosis	13 +	22 =	35	524,346	99.645
433	491	Effects of aspirin poisoning	13 +	22 =	35	524,381	99.652
434	717	Other employment problems (Category 20)	18 +	16 =	34	524,415	99.658
435	816	Kidney disease (Category 21)	18 +	15 =	33	524,448	99.664
436	455	Malingering	12 +	20 =	32	524,480	99.670
437	297	Hiccough	25 +	6 =	31	524,511	99.676
438	440	Birth injury due to difficult labor	16 +	15 =	31	524,542	99.682
439	81	Pleural effusion	12 +	18 =	30	524,572	99.688
440	222	Chilblains	14 +	16 =	30	524,602	99.694
441	418	Osteoporosis	9 +	21 =	30	524,632	99.699
442	562	Other acute adult situational reaction (Category 5)	5 +	25 =	30	524,662	99.705
443	253	Pneumoconiosis	25 +	4 =	29	524,691	99.711
444	708	Social isolation	11 +	17 =	28	524,719	99.716
445	713	Out of work, acute	13 +	15 =	28	524,747	99.721
446	728	Drug abuse in parent or child	18 +	10 =	28	524,775	99.726
447	195	Coma and stupor	10 +	17 =	27	524,802	99.732
448	201	Meningismus	12 +	15 =	27	524,829	99.737
449	621	Abnormal urea (BUN)	15 +	12 =	27	524,856	99.742
450	634	Other abnormal x-ray (Category 19)	10 +	17 =	27	524,883	99.747
451	19	Bornholm disease	9 +	17 =	26	524,909	99.752
452	824	Tuberculosis	12 +	14 =	26	524,935	99.757
453	341	Polyuria	16 +	9 =	25	524,960	99.762

Diagnoses			Frequency			Cumulative	
Rank	RCGP Number	Description	Male	Female	Total	Total	Percent
454	196	Delirium	19 +	5 =	24	524,984	99.766
455	204	Photophobia	8 +	16 =	24	525,008	99.771
456	52	Stomach (Category 2 - malignant)	12 +	11 =	23	525,031	99.775
457	203	Nystagmus	7 +	16 =	23	525,054	99.779
458	567	Chronic adolescent situational reaction	6 +	17 =	23	525,077	99.784
459	804	Blindness (Category 21)	12 +	11 =	23	525,100	99.788
460	167	Brachial neuritis (Category 6)	11 +	11 =	22	525,122	99.792
461	348	Ecotopic pregnancy	0 +	22 =	22	525,144	99.796
462	353	Placenta previa	0 +	22 =	22	525,166	99.801
463	812	Heart disease (Category 21)	12 +	10 =	22	525,188	99.805
464	419	Brachial neuritis (Category 13)	5 +	16 =	21	525,209	99.809
465	489	Effects of carbon monoxide poisoning	13 +	8 =	21	525,230	99.813
466	202	Diplopia	11 +	9 =	20	525,250	99.817
467	432	Congenital hydrocephalus	12 +	8 =	20	525,270	99.820
468	478	Dislocation, jaw	12 +	8 =	20	525,290	99.824
469	722	Other social problems, family and individual	3 +	17 =	20	525,310	99.828
470	145	Frigidity	0 +	19 =	19	525,329	99.832
471	106	Erythema multiforme	7 +	11 =	18	525,347	99.835
472	434	Cleft palate and harelip	6 +	12 =	18	525,365	99.838
473	435	Congenital malformation of digestive system	7 +	11 =	18	525,383	99.842
474	550	Dependent (including pseudo dependent symbiotic and maternal maturing)	6 +	12 =	18	525,401	99.845
475	823	Thyroid disease (Category 21)	7 +	11 =	18	525,419	99.849
476	56	Larynx (Category 2 - malignant)	10 +	7 =	17	525,436	99.852
477	441	Atelectasis, other asphyxia of newborn	9 +	8 =	17	525,453	99.855
478	622	Abnormal electrolytes	5 +	12 =	17	525,470	99.858
479	120	Purpura, secondary or unspecified	6 +	10 =	16	525,486	99.861
480	347	Ante partum hemorrhage	0 +	16 =	16	525,502	99.864
481	364	Caesarean section (all indications)	0 +	16 =	16	525,518	99.867
482	709	Occupational maladjustment	10 +	6 =	16	525,534	99.870
483	802	Asthma	7 +	9 =	16	525,550	99.874
484	820	Neurological disorders (Category 21)	8 +	8 =	16	525,566	99.877
485	825	Other familial, genetic, or otherwise significant disease (Category 21)	4 +	12 =	16	525,582	99.880
486	9	Meningococcal infections	9 +	6 =	15	525,597	99.882
487	37	Malaria	5 +	10 =	15	525,612	99.885
488	175	Lacrimal apparatus	7 +	8 =	15	525,627	99.888
489	188	Otosclerosis	2 +	13 =	15	525,642	99.891
490	305	Appendicular pain	7 +	8 =	15	525,657	99.894
491	459	Rigors	6 +	9 =	15	525,672	99.897
492	553	Passive aggressive	8 +	7 =	15	525,687	99.899
493	557	Yellow fever prophylaxis	9 +	6 =	15	525,702	99.902
494	701	Housing problems	3 +	12 =	15	525,717	99.905
495	721	Divorce proceedings	3 +	12 =	15	525,732	99.908
496	100	Exophthalmos	3 +	11 =	14	525,746	99.911
497	104	Polyuria	10 +	4 =	14	525,760	99.913
498	402	Congenital dislocated hip	6 +	8 =	14	525,774	99.916
499	445	Umbilical sepsis	13 +	1 =	14	525,802	99.921
500	449	Immaturity, dysmaturity	6 +	8 =	14	525,802	99.921
501	490	Effects of barbiturate poisoning	9 +	5 =	14	525,816	99.924
502	98	Coeliac disease	4 +	9 =	13	525,829	99.926
503	60	Corpus uteri (Category 2 - malignant)	0 +	12 =	12	525,841	99.929
504	724	High-risk pregnancy	0 +	12 =	12	525,853	99.931
505	726	High-risk physical violence	3 +	9 =	12	525,865	99.933
506	268	Sputum, non-infected	7 +	4 =	11	525,876	99.935
507	361	Puerperal mastitis	0 +	11 =	11	525,887	99.937
508	357	Prolonged labor	0 +	10 =	10	525,897	99.939
509	623	Abnormal PBI	3 +	7 =	10	525,907	99.941
510	711	Chronic physical disability	6 +	4 =	10	525,917	99.943

		Diagnoses	Frequency			Cumulative	
Rank	RCGP Number	Description	Male	Female	Total	Total	Percent
511	729	Other social/personal problem	9 +	10 =	10	525,927	99.945
512	809	Epilepsy (Category 21)	3 +	7 =	10	525,937	99.947
513	811	Hay fever (Category 21)	2 +	8 =	10	525,947	99.949
514	8	Whooping cough	8 +	1 =	9	525,956	99.950
515	492	Motion sickness	4 +	5 =	9	525,965	99.952
516	821	Rheumatic fever (Category 21)	3 +	6 =	9	525,974	99.954
517	266	Stridor	5 +	3 =	8	525,982	99.955
518	363	Postpartum hemorrhage	0 +	8 =	8	525,990	99.957
519	430	Spina bifida and meningocele with hydrocephalus	5 +	3 =	8	525,998	99.958
520	552	Angry aggressive	1 +	7 =	8	526,006	99.960
521	564	Acute childhood situational reaction	3 +	5 =	8	526,014	99.961
522	632	Abnormal GI series	5 +	3 =	8	526,022	99.963
523	710	Dependency	4 +	4 =	8	526,030	99.964
524	63	Other genital organs (Category 2 - malignant)	4 +	3 =	7	526,037	99.966
525	262	Cyanosis (Category 7)	3 +	4 =	7	526,044	99.967
526	356	Malposition and/or disproportion affecting second stage labor	0 +	7 =	7	526,051	99.968
527	826	Atopy (Category 21)	3 +	4 =	7	526,058	99.970
528	80	Ascites (Category 2)	1 +	5 =	6	526,064	99.971
529	103	Pigmentation (Category 3)	2 +	4 =	6	526,070	99.972
530	154	Stammer and/or stutter	4 +	2 =	6	526,076	99.973
531	232	Cyanosis (Category 8)	3 +	3 =	6	526,082	99.974
532	497	Dislocation of radial head	5 +	1 =	6	526,088	99.975
533	551	Masochistic	1 +	5 =	6	526,094	99.977
534	732	Foster child	5 +	1 =	6	526,100	99.978
535	41	Hydatidosis	1 +	4 =	5	526,105	99.979
536	355	Forceps delivery (all indications)	0 +	5 =	5	526,110	99.980
537	358	Laceration or episiotomy	0 +	5 =	5	526,115	99.980
538	714	Out of work, chronic	1 +	4 =	5	526,120	99.981
539	810	Gout (Category 21)	5 +	0 =	5	526,125	99.982
540	815	Jaundice (Category 21)	4 +	1 =	5	526,130	99.983
541	365	Pyrexia of childbirth and puerperium	0 +	4 =	4	526,134	99.984
542	431	Spina bifida and meningocele without hydrocephalus	1 +	3 =	4	526,138	99.985
543	643	Abnormal lumbar puncture	3 +	1 =	4	526,142	99.986
544	716	Unemployable because of illness	3 +	1 =	4	526,146	99.986
545	42	Filarial infection	2 +	1 =	3	526,149	99.987
546	269	Sputum, infected	2 +	1 =	3	526,152	99.987
547	354	Retained placenta	0 +	3 =	3	526,155	99.988
548	360	Puerperal thrombophlebitis	0 +	3 =	3	526,158	99.989
549	718	Imprisonment	3 +	0 =	3	526,161	99.989
550	725	High-risk accident	0 +	3 =	3	526,164	99.990
551	806	Deafness (Category 21)	1 +	2 =	3	526,167	99.990
552	818	Mental illness (Category 21)	0 +	3 =	3	526,170	99.991
553	35	Amoebiasis	0 +	2 =	2	526,172	99.991
554	36	Yaws	1 +	1 =	2	526,174	99.992
555	43	Ancylostomiasis	0 +	2 =	2	526,176	99.992
556	443	Birth injury to brain, spinal cord, bone, or nerve	0 +	2 =	2	526,178	99.992
557	565	Chronic childhood situational reaction	0 +	2 =	2	526,180	99.993
558	603	Abnormal urine culture	1 +	1 =	2	526,182	99.993
559	642	Abnormal cystoscopy	1 +	1 =	2	526,184	99.993
560	719	Prosecution or impending litigation	1 +	1 =	2	526,186	99.994
561	814	Infection - recurrent (Category 21)	2 +	0 =	2	526,188	99.994
562	819	Mental retardation (Category 21)	1 +	1 =	2	526,190	99.994
563	822	Stroke (Category 21)	1 +	1 =	2	526,192	99.995
564	39	Trypanosomiasis	0 +	1 =	1	526,193	99.995
565	40	Schistosomiasis	1 +	0 =	1	526,194	99.995
566	448	Hemorrhagic disease	0 +	1 =	1	526,195	99.995
567	715	Medical absenteeism	1 +	0 =	1	526,196	99.996