

Table 4. **Outcomes Comparison, PNB vs Control**

Authors/Year	No. of Subjects at Follow-up		Postoperative PACU Pain, Mean (0-10 scale)		Postoperative Day 1 Pain, Mean (NRS)		PACU Morphine Eq. Dose, mg		Postoperative N/V, %		PACU Discharge Time, min		Admitted as Inpatient, %		
	PNB	Control	PNB	Control	PNB	Control	PNB	Control	PNB	Control	PNB	Control	PNB	Control	
Dold et al/2014 <sup>16</sup>	56	40	3.034 <sup>a</sup> (0-10 scale)	3.998 <sup>a</sup> (0-10 scale)	N/A	N/A	2.04	4.00	41.1	32.5	85.96	81.53	0.0	5.0	
Krych et al/2014 <sup>27</sup>	30	N/A	3.5 (NRS)	N/A	Rest: 2.9 Activity: 4.4	N/A	N/A	N/A	N/A	10	N/A	199	N/A	0	N/A
Nye et al/2013 <sup>28</sup>	175	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.5	N/A	
Schroeder et al/2013 <sup>17</sup>	118	118	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Ward et al/2012 <sup>29</sup>	20	16	N/A	N/A	N/A	N/A	N/A	N/A	10	75	177.85	216.00	N/A	N/A	
YaDeau et al/2012 <sup>18</sup>	41	41	3.3 (NRS)	4.2 (NRS)	Rest: 3.1 Activity: 5.4	Rest: 3.3 Activity: 5.5	21	29	34 <sup>b</sup>	20 <sup>b</sup>	216	187	2.4	4.9	

<sup>a</sup>Calculated average of reported data from 0-60 min in PACU.<sup>b</sup>Used figures reported for nausea, which assumes patients included in vomiting data were also included in nausea data.

Abbreviations: N/A, not applicable; NRS, numerical rating scale; N/V, nausea/vomiting; PACU, post-anesthesia care unit; PNB: peripheral nerve block.